




積層型減壓閥


Modular Reducing Valve



MBR-0*-B



MBR-0*-A



MBR-0*-P

HOW TO ORDER :

MBR — 02 — P — 1 — ※

調節型式 : K : 旋鈕 ; 無 : 螺絲調整鈕
ADJUSTING TYPE: K: with knob none: without

壓力調節範圍 PRESSURE ADJUSTING RANGE
1: 3-35 kgf/cm² 1S: 1.5-35 kgf/cm²
2: 8-70 kgf/cm² 1S: 8-140 kgf/cm²
3: 10-250 kgf/cm² 1S: 8-250 kgf/cm²

控制孔 CONTROL PORT
P: P孔 P port
A: A孔 A port
B: B孔 B port

通徑 PORT SIZE
02 : 1/4" 06 : 3/4"
03 : 3/8"

積層型減壓閥 Modular Reducing Valve Series

SPECIFICATIONS :

型式 MODEL	最高使用壓力 MAX. PRESSURE kgf/cm ²	壓力調節範圍 PRESSURE ADJ. RANGE kgf/cm ²	最大流量 MAX. FLOW LPM	重量 WEIGHT (kg)
MBR-02-P/A/B	250	1 : 3-35 2 : 8-70 3 : 10-250 1S : 1.5-35, 2S : 8-140, 3S : 8-250	50	1.4
MBR-03-P/A/B	250	1 : 3-35 2 : 8-70 3 : 10-250 1S : 1.5-35, 2S : 8-140, 3S : 8-250	100	3.7
MBR-06-P/A/B	250	1 : 3-35 2 : 8-70 3 : 10-250 1S : 1.5-35, 2S : 8-140, 3S : 8-250	180	12.3




積層型減壓閥

Modular Reducing Valve


INSTALLATION DIMENSIONS :

單位 UNIT : mm

■ MBR-02-P. A. B



■ MBR-03-P. A. B





積層型減壓閥

Modular Reducing Valve

INSTALLATION DIMENSIONS :

單位 UNIT : mm

■ MBR-06-P. A. B

