






積層型溢流閥 Modular Relief Valve




MRV-0*-P




MRV-0*-A



MRV-0*-B



MRV-0*-W



MRV-0*-D

HOW TO ORDER :

MRV — 02 — P — 1 — K

調節型式：K：旋鈕；無：螺絲調整鈕
ADJUSTING TYPE: K: with knob none: without

壓力調整範圍 PRESSURE ADJUSTING RANGE
1: 8-70 kgf/cm²
2: 8-140 kgf/cm²
3: 10-250 kgf/cm²

控制孔 CONTROL PORT
P: P孔 P port W: A及B孔 A&B port
A: A孔 A port D: T至B和B至A T to B and B to A port
B: B孔 B port (D: 煞車閥 Brake Valve)

通徑 PORT SIZE
02 : 1/4" 06 : 3/4"
03 : 3/8"

積層溢流閥系列 Modular Relief Valve Series

SPECIFICATIONS :

型式 MODEL	最高使用壓力 MAX. PRESSURE kgf/cm ²	壓力調節範圍 PRESSURE ADJ. RANGE kgf/cm ²	最大流量 MAX. FLOW LPM	重量 WEIGHT (kg)
MRV-02-P/A/B	250	1 : 8-70 2 : 8-140	50	1.7
MRV-02-W/D		3 : 10-250		2.2
MRV-03-P/A/B	250	1 : 8-70 2 : 8-140	100	3.6
MRV-03-W/D		3 : 10-250		4.8
MRV-06-P/A/B	250	1 : 8-70 2 : 8-140 3 : 10-250	180	12.0




積層型溢流閥 Modular Relief Valve


INSTALLATION DIMENSIONS :

單位 UNIT : mm

MRV-02-P. A. B



MRV-02-W. D



型式 MODEL	A	B	C
MRV-02-W	P51.3	145	MAX.304
MRV-02-D	39	120	MAX.279




積層型溢流閥 Modular Relief Valve


INSTALLATION DIMENSIONS :

單位 UNIT : mm

MRV-03-P. A. B



MRV-03-W. D





積層型溢流閥 Modular Relief Valve

INSTALLATION DIMENSIONS :

單位 UNIT : mm

■ MRV-06-P. A. B

